

Papers published by VLA staff April – June 2008

- Alexander DJ; Capua I; Koch G 2008
Highly pathogenic avian influenza outbreaks in Europe, Asia, and Africa since 1959, excluding the Asian H5N1 virus outbreaks.
In: Swayne DE (ed); Avian Influenza, Blackwell Publishing, Oxford, 2008, 217-237.
- Arnold ME; Paton DJ; Ryan E; Cox SJ; Wilesmith JW 2008
Modelling studies to estimate the prevalence of foot-and-mouth disease carriers after reactive vaccination.
Proceedings of the Royal Society B 275 (1630) 107-115.
- Banks M; Ibata G; Murphy AM; Frossard JP; Crawshaw TR; Twomey DF 2008
Bovine lymphotropic herpesvirus and non-responsive post-partum metritis in dairy herds in the UK.
Veterinary Journal 176 (2) 248-250.
- Barnett J; Ainsworth H; Boon JD; Twomey DF 2008
Streptococcus gallolyticus subsp. pasteurianus septicaemia in goslings.
Veterinary Journal 176 (2) 251-253.
- Barnett J; Twomey DF; Millar MF; Bell S; Bradshaw J; Higgins RJ; Scholes SFE; Errington J; Bromage GG; Oxenham GJ 2008
BVDV in British alpacas (letter).
Veterinary Record 162 (24) 795.
- Bohning D; Del Rio Vilas VJ 2008
Estimating the hidden number of scrapie affected holdings in Great Britain using a simple, truncated count model allowing for heterogeneity.
Journal of Agricultural, Biological and Environmental Statistics 13 (1) 1-22.
- Carrique-Mas JJ; Papadopoulou C; Evans SJ; Wales A; Teale CJ; Davies RH 2008
Trends in phage types and antimicrobial resistance of Salmonella enterica serovar Enteritidis isolated from animals in Great Britain from 1990 to 2005.
Veterinary Record 162 (17) 541-546.
- Carter B; Wu GH; Woodward MJ; Anjum MF 2008
A process for analysis of microarray comparative genomics hybridisation studies for bacterial genomes.
BMC Genomics 9:53.
- Chambers MA; Crawshaw T; Waterhouse S; Delahay R; Hewinson RG; Lyashchenko KP 2008
Validation of the BrockTB Stat-Pak assay for detection of tuberculosis in Eurasian badgers (Meles meles) and influence of disease severity on diagnostic accuracy.
Journal of Clinical Microbiology 46 (4) 1498-1500.
- Dagleish MP; Rodger SM; Simmons MM; Finlayson J; Buxton D; Chianini F 2008
Atypical scrapie in sheep in Scotland.
Veterinary Record 162 (16) 518-519.

Dalley D; Dave D; Lesellier S; Palmer S; Crawshaw T; Hewinson RG; Chambers M 2008
Development and evaluation of a gamma-interferon assay for tuberculosis in badgers (*Meles meles*).
Tuberculosis 88 (3) 235-243.

Daniel R; Smith G 2008
Suspected bovine reticuloperitonitis associated with the metal components of a mixer wagon (letter).
Veterinary Record 162 (17) 563-564.

Dawson CE; Perrett LL; Stubberfield EJ; Stack JA; Farrelly SSJ; Cooley WA; Davison NJ; Quinney S 2008
Isolation and characterization of brucella from the lungworms of a harbor porpoise (*Phocoena phocoena*).
Journal of Wildlife Diseases 44 (2) 237-246.

De BK; Stauffer L; Koylass MS; Sharp SE; Gee JE; Helsel LO; Steigerwalt AG; Vega R; Clark TA; Daneshvar MI; Wilkins PP; Whatmore AM 2008
Novel brucella strain (BO1) associated with a prosthetic breast implant infection.
Journal of Clinical Microbiology 46 (1) 43-49.

Del Rio Vilas VJ; Bohning D 2008
Application of one-list capture-recapture models to scrapie surveillance data in Great Britain.
Preventive Veterinary Medicine 85 (3-4) 253-266.

Del Rio Vilas VJ; Bohning D; Kuhnert R 2008
A comparison of the active surveillance of scrapie in the European Union.
Veterinary Research 39:37.

Elders KT; Helps CR; Wassenaar TM; Allen VM; Newell DG 2008
Development of a strain-specific molecular method for quantitating individual campylobacter strains in mixed populations.
Applied and Environmental Microbiology 74 (8) 2321-2331.

Fearnley C; Manning G; Bagnall M; Javed MA; Wassenaar TM; Newell DG 2008
Identification of hyperinvasive *Campylobacter jejuni* strains isolated from poultry and human clinical sources.
Journal of Medical Microbiology 57 (5) 570-580.

Fooks AR; Harkess G; Goddard T; Marston DA; McElhinney L; Brown K; Morgan D; Paul R; Thomas PJ; Smith B 2008
Rabies virus in a dog imported to the UK from Sri Lanka (letter).
Veterinary Record 162 (18) 598.

Foster AP; Otter A; O'Sullivan T; Cranwell MP; Twomey DF; Millar MF; Taylor MA 2008
Rumen fluke (paramphistomosis) in British cattle (letter).
Veterinary Record 162 (16) 528.

Gibbens JC; Robertson S; Willmington J; Milnes A; Ryan JBM; Wilesmith JW; Cook AJC; David GP 2008
Use of laboratory data to reduce the time taken to detect new diseases: VIDA to FarmFile.
Veterinary Record 162 (24) 771-776.

Girard F; Frankel G; Phillips AD; Cooley W; Weyer U; Dugdale AHA; Woodward MJ; La Ragione RM 2008

Interaction of enterohemorrhagic *Escherichia coli* O157:H7 with mouse intestinal mucosa.
Fems Microbiology Letters 283 (2) 196-202.

Golby P; Nunez J; Cockle PJ; Ewer K; Logan K; Hogarth P; Vorderemeier HM; Hinds J; Hewinson RG; Gordon SV 2008

Characterization of two in vivo-expressed methyltransferases of the *Mycobacterium tuberculosis* complex: antigenicity and genetic regulation.
Microbiology 154 (4) 1059-1067.

Green DM; Kiss IZ; Mitchell AP; Kao RR 2008

Estimates for local and movement-based transmission of bovine tuberculosis in British cattle.
Proceedings of the Royal Society B 275 (1638) 1001-1005.

Hanlon N; Coldham N; Gielbert A; Kuhnert N; Sauer MJ; King LJ; Ioannides C 2008

Absolute bioavailability and dose-dependent pharmacokinetic behaviour of dietary doses of the chemopreventive isothiocyanate sulforaphane in rat.
British Journal of Nutrition 99 (3) 559-564.

Harwood D 2008

Worries over disease dominate goat society's spring meeting.
Veterinary Times 9 June, 24-25.

Hayman DTS; Fooks AR; Horton D; Suu-Ire R; Breed AC; Cunningham AA; Wood JLN 2008

Antibodies against Lagos bat virus in Megachiroptera from West Africa.
Emerging Infectious Diseases 14 (6) 926-928.

Howells LC; Anderson S; Coldham NG; Sauer MJ 2008

Transmissible spongiform encephalopathy strain-associated diversity of N-terminal proteinase K cleavage sites of PrP^{Sc} from scrapie-infected and bovine spongiform encephalopathy-infected mice.
Biomarkers 13 (4) 393-412.

Johnson LK; Liebana E; Nunez A; Spencer Y; Clifton-Hadley R; Jahans K; Ward A; Barlow A; Delahay R 2008

Histological observations of bovine tuberculosis in lung and lymph node tissues from British deer
Veterinary Journal 175 (3) 409-412.

Johnson LK; Nunez A; Bracegirdle JR; Dwyer JR; Konold T 2008

Neuroendocrine carcinoma of the liver and gallbladder in a cow.
Journal of Comparative Pathology 138 (2-3) 165-168.

Jones J; Jenkins T; Webb L; Davies A; Bates P 2008

Psoroptic mange in cattle in south Wales (letter).
Veterinary Record 162 (14) 460.

Kavanagh K; Kelly L; Snary EL; Gettinby G 2008

Detection of antimicrobial resistant salmonella in livestock: a chance event?
Society for Veterinary Epidemiology and Preventive Medicine, Liverpool, 26th -28th March 2008, 87-97.

Konold T; Bone G; Vidal-Diez A; Tortosa R; Davis A; Dexter G; Hill P; Jeffrey M; Simmons M; Chaplin M; Bellworthy S; Berthelin-Baker C 2008
Pruritus is a common feature in sheep infected with the BSE agent.
BMC Veterinary Research 4:16.

Konold T; Moore S; Bellworthy S; Simmons H 2008
Evidence of scrapie transmission via milk.
BMC Veterinary Research 4:14.

Laven RA; Lawrence KE; Livesey CT 2008
An evaluation of the copper sequestered during clotting in cattle: is it just caeruloplasmin?
Veterinary Journal 176 (3) 397-399.

Liebana E; Johnson L; Gough J; Durr P; Jahans K; Clifton-Hadley R; Spencer Y; Hewinson RG; Downs SH 2008
Pathology of naturally occurring bovine tuberculosis in England and Wales.
Veterinary Journal 176 (3) 354-360.

Lin YC; Miles RJ; Nicholas RAJ; Kelly DP; Wood AP 2008
Isolation and immunological detection of *Mycoplasma ovipneumoniae* in sheep with atypical pneumonia, and lack of a role for *Mycoplasma arginini*.
Research in Veterinary Science 84 (3) 367-373.

McAuliffe L; Ayling RD; Ellis RJ; Nicholas RAJ 2008
Biofilm-grown *Mycoplasma mycoides* subsp. *mycoides* SC exhibit both phenotypic and genotypic variation compared with planktonic cells.
Veterinary Microbiology 129 (3-4) 315-324.

McIntyre KM; Del Rio Vilas VJ; Gubbins S 2008
No temporal trends in the prevalence of atypical scrapie in British sheep, 2002-2006.
BMC Veterinary Research 4:13.

Mitchell A; Alexander N; Clifton-Hadley R; Cooper J; Gilbert M; Rua-Domenech R de la; Mawdsley J; Wint W 2008
An analysis of the effect of the introduction of pre-movement testing for bovine TB in England and Wales.
Society for Veterinary Epidemiology and Preventive Medicine, Liverpool, 26th -28th March 2008, 172-190.

Mueller-Doblies D; Giles M; Elwin K; Smith RP; Clifton-Hadley FA; Chalmers RM 2008
Distribution of cryptosporidium species in sheep in the UK.
Veterinary Parasitology 154 (3-4) 214-219.

Musa MT; Eisa MZM; El Sanousi EM; Abdel Wahab MB; Perrett L 2008
Brucellosis in camels (*Camelus dromedarius*) in Darfur, Western Sudan.
Journal of Comparative Pathology 138 (2-3) 151-155.

Ortiz-Pelaez A; Pritchard DG; Pfeiffer DU; Jones E; Honeyman P; Mawdsley JJ 2008
Calf mortality as a welfare indicator on British cattle farms.
Veterinary Journal 176 (2) 177-181.

Otter A 2008

Bacterial isolates from the semen of rams with suspected infertility.
Veterinary Record 162 (19) 623-624.

Otter A; Callaghan G 2008

Yersiniosis in lambs on fodder beet (letter).
Veterinary Record 162 (21) 699.

Pajaniappan M; Hall JE; Cawthraw SA; Newell DG; Gaynor EC; Fields JA; Rathbun KM; Agee WA; Burns CM; Hall SJ; Kelly DJ; Thompson SA 2008

A temperature-regulated *Campylobacter jejuni* gluconate dehydrogenase is involved in respiration-dependent energy conservation and chicken colonization.
Molecular Microbiology 68 (2) 474-491.

Peters IR; Helps CR; McAuliffe L; Neimark H; Lappin MR; Gruffydd-Jones TJ; Day MJ; Hoelzle LE; Willi B; Meli M; Hofmann-Lehmann R; Tasker S 2008

RNase P RNA gene (*rnpB*) phylogeny of hemoplasmas and other mycoplasma species.
Journal of Clinical Microbiology 46 (5) 1873-1877.

Rhodes SG; Gruffydd-Jones T; Gunn-Moore D; Jahans K 2008

Interferon-gamma test for feline tuberculosis.
Veterinary Record 162 (14) 453-455.

Ridley AM; Allen VM; Sharma M; Harris JA; Newell DG 2008

Real-time PCR approach for detection of environmental sources of campylobacter strains colonizing broiler flocks.
Applied and Environmental Microbiology 74 (8) 2492-2504.

Ridley AM; Toszeghy MJ; Cawthraw SA; Wassenaar TM; Newell DG 2008

Genetic instability is associated with changes in the colonization potential of *Campylobacter jejuni* in the avian intestine.
Journal of Applied Microbiology 105 (1) 95-104.

Salzberg SL; Kingsford C; Cattoli G; Spiro DJ; Janies DA; Aly MM; Brown IH; Couacy-Hymann E; De Mia GM; Do Huu Dung; Guercio A; Joannis T; Safar Maken Ali A; Osmani A; Padalino I;

Saad MD; Savic V; Sengamalay NA; Yingst S; Zaborsky J; Zorman-Rojs O; Ghedin E; Capua I 2007
Genome analysis linking recent European and African influenza (H5N1) viruses.
Emerging Infectious Diseases 13 (5) 713-718.

Schock A; Gray D; Howie FE 2008

Multifocal symmetrical necrotising encephalopathy in Simmental cross cattle in Scotland.
Veterinary Record 162 (21) 694-695.

Shaw I; Powell TJ; Marston DA; Baker K; Hateren A van; Riegert P; Wiles MV; Milne S; Beck S; Kaufman J 2008

Different evolutionary histories of the two classical class 1 genes BF1 and BF2 illustrate drift and selection within the stable MHC haplotypes of chickens.
Journal of Immunology 178 (9) 5744-5752.

Sims LD; Brown IH 2008

Multicontinental epidemic of H5N1 HPAI virus (1996-2007).
In: Swayne DE (ed); Avian Influenza, Blackwell Publishing, Oxford, 2008, 251-286.

- Siso S; Jeffrey M; Steele P; McGovern G; Martin S; Finlayson J; Chianini F; Gonzalez L 2008
Occurrence and cellular localization of PrPd in kidneys of scrapie-affected sheep in the absence of inflammation.
Journal of Pathology 215 (2) 126-134.
- Smith RP; Paiba GA; Ellis-Iversen J 2008
Turbidity as an indicator of Escherichia coli presence in water troughs on cattle farms.
Journal of Dairy Science 91 (5) 2082-2085.
- Snary E; McEwen S 2008
Antimicrobial resistance risk assessment.
In: Guardabassi L (ed); Jensen LB (ed); Kruse H (ed), Guide to antimicrobial use in animals, Blackwell, Oxford, 2008, 27-43.
- Stewart ID; Smith RP; Ellis-Iversen J 2008
Eimeria species in cattle on farms in England and Wales.
Veterinary Record 162 (15) 482-483.
- Taglinger K; Van Nguyen N; Helps CR; Day MJ; Foster AP 2008
Quantitative real-time RT-PCR measurement of cytokine mRNA expression in the skin of normal cats and cats with allergic skin disease.
Veterinary Immunology and Immunopathology 122 (3-4) 216-230.
- Twomey DF; Barlow AM; Bell S; Chalmers RM; Elwin K; Giles M; Higgins RJ; Robinson G; Stringer RM 2008
Cryptosporidiosis in two alpaca (Lama pacos) holdings in the south-west of England.
Veterinary Journal 175 (3) 419-422.
- Vordermeier HM; Brown J; Cockle PJ; Franken WPJ; Drijfhout JW; Arend SM; Ottenhoff THM; Jahans K; Hewinson RG 2008
Assessment of cross-reactivity between Mycobacterium bovis and M. kansasii ESAT-6 and CFP-10 at the T-cell epitope level.
Clinical and Vaccine Immunology 14 (9) 1203-1209.
- Welchman D de B; Parr JG; Wood R; Mead AMJ; Starnes AF 2008
Alpaca and llama nematodes in Britain (letter).
Veterinary Record 162 (25) 832.
- Whatmore AM; Dawson CE; Groussaud P; Koylass MS; King AC; Shankster SJ; Sohn AH; Probert WS; McDonald WL 2008
Marine mammal brucella genotype associated with zoonotic infection (letter).
Emerging Infectious Diseases 14 (3) 517-518.
- Williamson S; Woodger N; Darpel K 2008
Differential diagnosis of bluetongue in cattle and sheep.
In Practice 30 (5) 242-251.
- Witchell J; Varshney D; Gajjar T; Wangoo A; Goyal M 2008
RNA isolation and quantitative PCR from HOPE- and formalin-fixed bovine lymph node tissues.
Pathology - Research and Practice 204 (2) 105-111.

Wood AM; Dagless MD; Pirie JO; Garcia-Rueda MC; Manvell RJ; Cox WJ; Ceeraz V; Pearson DB;
Law WA; Alexander DJ; Brown IH 2008
Isolations of avian paramyxovirus type 2 from domestic fowl in Scotland in 2002 and 2006.
Veterinary Record 162 (24) 788-789.